

# Implementing Clean Energy Efficiency Projects at the U.S. Postal Service

Ray Levinson

U.S. Postal Service ray.a.levinson@.usps.gov 415-405-4886 August 17, 2005



## **USPS Facility Energy Data:**

- **■** 35,000 Buildings
- 350,000,000 sq. ft.
- 23,388 BBTUs per year
- 66,800 BTUs/sq. ft. in FY 2004
- 4.7 million MWH, 5.7 million therms
- \$465,000,000 Annual Energy Cost

Pacific Area: About 10% of above, except for energy cost (\$60 million, or about 14%)



#### **Background**

- Capital Freeze, EPAct & E.O 13123 requirements, NEMP & SEMP targets
- Established Inter Agency Agreement with Dept. of Energy / FEMP /LBNL for technical assistance
- Established Area Energy Program Committee
- Developed Area Strategic Energy Management Plans
- Reduction goals based on EPAct and E.O. requirements



## **Shared Energy Savings**

- USPS decided not to use the DOE Super ESPC program (exempt from FAR)
- Resurrected postal version "Shared Energy Savings" purchasing contract



## **Contract Revised and Awarded**

- Revised SES for Pacific Area
- Awarded contracts to Viron /
   Chevron Energy Solutions and
   Honeywell (Oct 2002)



## **Deployed Contract to Field**

- Developed Reduction Goals
- Developed tracking report for 10 Districts
- Formed District EPCs
- Introduced ESCOs at District EPC meetings




#### **Implementation**

- ESCOs evaluated list and prioritized groups of facilities
- Developed proposals for ECMs
- Worked closely with local committee to review technical and financial suitability of measure for each site
- Internal capital and external rebates used to bring ROI up
- Once agreed upon, local committee requested Contracting Officer to issue Delivery Order
- ESCO worked with site to develop schedule
- Once substantial completion, payments began



#### Results

- Over 200 sites surveyed
- 139 projects awarded
- \$61.7 million project value
- 60.5 million kWH saved annually
- 11,352 tons CO2, 151 tons NOx reduced





# Typical ECMs

- Lighting Improvements & upgrades
- Solar photovoltaic systems
  - 406 kW Parking Canopy
  - 309 kW Roof Integrated / Tracking Canopy
- 250 kW Fuel cell
- 1.5 MW CHP gas fired w/ heat recovery
  - Absorption Chiller



## **CFC Chiller replacement program**

- Replace with high-efficiency, non-CFC
- Variable speed chilled & heating water pumps Insulate mechanical room
- **EMS re-commissioning and upgrade**
- Insulate condenser water piping
- Rebalance exhaust fan
- Add & re-commission programmable thermostats

5,115 tons cooling = 15,345 lbs ODS reduced!



#### **Sacramento Processing & Distribution Center**



**406 kW Parking Lot Canopy** 



# San Francisco Processing & Distribution Center

T 8
fluorescents
replaced
older
technology





## **Marina Processing & Distribution Center**

127 kW
roof
mounted
non
penetrating

